



Abstracts (including manuscripts on CD-ROM)
of the Conference in Hamburg
on September 27 – 29, 2011
in the context of DVS Congress and DVS Expo

Organized by

DVS



DVS – German Welding Society
ASM International – Thermal Spray Society (TSS)
IIW – International Institute of Welding

Media Sponsors:



**INTERNATIONAL
Thermal Spray &
Surface Engineering**
THE OFFICIAL NEWSLETTER OF THE ASM THERMAL SPRAY SOCIETY

Table of contents / Abstracts: ITSC 2011

Preface

Committees and Endorsing Sponsors

Time Schedule

Lectures

Aviation Industry 1

- H. Kaßner, E. Höck, T. Gartner, O. Schmäscke and S. Deng Hamburg/D
High efficient thermal spraying processes and strategies for aviation industry 1
- K. Bobzin, T. Schläfer, T. Warda, M. Brühl and T. F. Linke, Aachen/D
Improving long term oxidation protection for γ -TiAl substrates 1

Metals Processing 1

- Y. Namba and K. Tani, Akashi/J
Trends of thermal spray technology in steel industry from the view point of patent applications in Japan 2
- M. Erne, D. Kolar, K. Möhwald and Fr.-W. Bach, Hannover/D
Tribological behaviour of suspension plasma sprayed coatings for hot extrusion tools 2
- H. Koivuluoto, M. Kymälähti and P. Vuoristo, Tampere/FIN
Properties of low-pressure cold-sprayed coatings for repairing of casting defects 2

Metals Processing 2

- C.-S. Yu, T.-S. Huang, J.-Y. Huang and M.-J. Tseng, Kaohsiung/TW
Build-up resistance of HVOF thermal sprayed NiCrAlY-Y₂O₃ cermet coatings 3

HVOF & Flame Spraying 1

- W. Tillmann and B. Krebs, Dortmund/D
Influence of handling parameters on coating characteristics in order to produce near-net-shape wear resistant coatings 3
- A. Killinger, P. Müller and R. Gadow, Stuttgart/D
High velocity suspension flame spraying of nano oxide containing suspensions 3
- B. Sun and H. Fukanuma, Saitama/J
Study on stainless steel 316L coatings sprayed by high pressure HVOF 4

Cold Spraying 1

- C. Lorenzana, N. Cinca, S. Dosta and J. M. Guilemany, Barcelona/E
Study of process condition influence on precipitation hardening stainless steel coatings obtained with cold gas spraying 4
- L. L. Descurninges, L. T. Mingault, M. Jeandin, Evry/F, A. Nifa, L. Berthe, Paris/F, M. Boustie, Poitiers/F, T. Laguionie, L. Bianchi, Monts/F, and K. Ogawa, Sendai/J
Influence of powder particle oxidation on properties of cold-sprayed tantalum 4
- E. Irissou, F. Ilinca, Boucherville/CDN, W. Wong, Montreal/CDN, J.-G. Legoux, Boucherville/CDN, and S. Yue, Montreal/CDN
Investigation on the effect of helium-to-nitrogen ratio as propellant gas mixture on the processing of titanium coating using cold gas dynamic spray 5

Cold Spraying 2

K.-R. Donner, R. Roedel, F. Gärtner and T. Klassen, Hamburg/D Chemical interaction and bonding in cold gas spraying	5
H. Assadi, Tehran/IR, H. Richter, Hanover/USA, F. Gärtner, T. Schmidt, J.-O. Kliemann, K. Binder, T. Klassen and H. Kreye, Hamburg/D Application of parameter selection maps in cold spraying	5

Modeling & Simulation 1

C. Lyphout, P. Nylén, Trollhättan/S, and C. Persson, Gothenburg/S Modeling of peening stress in HVOF sprayed IN718 coating	6
M. Fukumoto, K. Yang, Y. Ebisuno, S. Yoshida, M. Yamada and T. Yasui, Aichi/J Splat formation mechanism in thermal spray process according to substrate temperature and ambient pressure change	6
R. Ghelichi, M. Guagliano, Milan/I, H. Jahed, Waterloo/CDN, and J. Villafuerte, Windsor/CDN A method for residual stress estimation of AZ31 under cold spray coating	6

Tribological Coatings 1

L. Łatka, Limoges/F, S. B. Goryachev, Lille/F, S. Kozerski, Wrocław/PL, L. Pawłowski, Limoges/F, and T. Lampke, Chemnitz/D Buildup mechanisms of suspension plasma sprayed $ZrO_2 + 8 \text{ wt. } \% Y_2O_3$ coatings	7
S. Matthews, Auckland/NZ, J. Fendt, Munich/D, M. Hyland, Auckland/NZ, and L.-M. Berger, Dresden/D Heat-treatment induced microstructural evolution of TiC-based hardmetal coatings	7
S. Thiele, K. Sempf, L.-M. Berger and J. Spatzier, Dresden/D Thermophysical and microstructural studies on thermally sprayed chromium carbide coatings	7

Fuel Cells 1

J. Arnold, A. Ansar, R. Ruckdäschel, Stuttgart/D, R. Henne, H. W. Grünling and U. Maier, Dettingen/D Vacuum plasma sprayed insulating layers suitable for brazing in high temperature fuel cells	8
B. Brüning, B. Gries, Goslar/D, H. Nakadate, Tokyo/J, and S. Zimmermann, Laufenburg/D New thermal spray powders for SOFC components	8

Wear Protection 1

S. Dizdar, L.-Å. Nilsson and B. Maroli, Höganäs/S Abrasive wear of flame sprayed and fused NiCrBSi alloys	8
A. Barth, Wohlen/CH, D. Chen, C. Dambra, Westbury/USA, and J. Girgulis, Wohlen/CH Influences of process and material morphology on the case of carbide coatings	9
J. Kitamura, K. Sato, Gifu/J, M. Watanabe, P. Chivavibul, M. Komatsu, Tsukuba/J, K. Sakaki, Matsumoto/J, and S. Kuroda, Tsukuba/J Mechanical properties of WC-Co coatings prepared by cold and warm spray processes	9

Nanomaterial Coatings 1

W. Tillmann, P. Hollingsworth, I. Baumann, M. Tolan and M. Paulus, Dortmund/D Nanostructured WC-Co coatings manufactured by fine powders ($-10+2 \mu\text{m}$) with ultra-fine carbides (400 nm) by means of HVOF	9
K. Wittmann-Ténéze, J. M. Pereira, P. Brelivet and L. Bianchi, Monts/F Development of composite coatings composed of a stainless steel matrix and tungsten carbide nano-inclusions by plasma spraying	10
C. Melnyk, Cerritos/USA, R. Gansert, Simi Valley/USA, D. Lajun, B. Weinstein, D. Grant, Cerritos/USA, and M. Watson, Buffalo/USA Investigation of mechanical properties of coatings and bulk components of various grain sized tungsten-carbide-cobalt based materials	10

Corrosion Protection 1

W. Krömmer, P. Heinrich and F. Lang, München/D Gases and their right use in thermal spray processes	10
C. R. C. Lima, N. F. C. Souza, F. M. Camargo and F. Camargo, Santa Bárbara d'Oeste/BR Comparative study of thermal sprayed polymers for wear protection	11
E. Garcia, J. Mesquita-Guimarães, P. Miranzo, M. I. Osendi, Madrid/E, C. V. Cojocar, C. Moreau and R. S. Lima, Boucherville/CDN Performance of multilayered mullite-based EBCs in simulated working conditions	11

Powders, Wires & Suspensions

S. Zimmermann, Laufenburg/D, B. Gries and B. Brüning, Goslar/D New cermet powders for HVOF spraying with improved corrosion and oxidation resistance for offshore, mining and power generation applications	11
A. Sharma, M. C. Nestler, J. Colmenares-Angulo, J. Medrano, Westbury/USA, J. Rauch, Barchfeld/D, M. Weder and S. Wilson, Wohlen/CH Novel titania (TiO _x) feed-stock powder for significant improvements in process economics and enhanced coating properties	12
B. Wielage and S. Schuberth, Chemnitz/D Comparing study of iron based, highly carbide-containing alloys regarding melting and atomisation properties	12

Characterization & Testing 1

S. Goutier, M. Vardelle and P. Fauchais, Limoges/F Understanding of spray coating adhesion through the formation of a single lamella	12
K. Sakaki, T. Idemoto, K. Takada and T. Hosono, Nagano/J Consideration of adhesion mechanism of aluminum coating on various kinds of glass substrate by cold spray	13
K. Sonoya, M. Nakamura, K. Ishida and J. Y. K. Yen, Yamanashi/J Adhesive strength evaluation of the interface between thermal sprayed coating and substrate by tensile pin test	13
M. Yu, W.-Y. Li, C. Zhang and H. L. Liao, Belfort/F Effect of vacuum heat treatment on tensile strength and fracture performance of cold-sprayed Cu-4Cr-2Nb coatings	13

Characterization & Testing 2

C. A. Poblano-Salas, J. A. Cabral-Miramontes, F. Espinoza-Beltrán and R. Botello-De Jesús, El Marques/MEX Characterization of mechanical properties by nanoindentation of bimodal WC-VC-Co coatings processed by HVOF thermal spraying	13
Y. Takatani, K. Tani, Akashi/J, and T. Masugata, Kobe/J Electrochemical impedance measurement of thermally sprayed aluminum zinc alloys in sodium chloride solution	14

Aviation Industry 2

P. L. Clavette, A. J. Nardi, B. L. Laube, J. Shi, East Hartford/USA, R. Ely, Stratford/USA, and L. Centolanza, Fort Eustis/USA Erosion resistance of WC-12Co high velocity oxy-fuel coatings	14
S. Rech, A. Trentin, S. Vezzù, Marghera/I, J.-G. Legoux and E. Irissou, Boucherville/CDN Mechanical property of multi-pass cold sprayed aluminium alloy coatings for repair application	14

Industrial Gas Turbines 1

S. Tao, J. Yu, H. Zhao, X. Zhou and C. Ding, Shanghai/CN High temperature aging behavior and order-disorder transformation of plasma sprayed Sm ₂ Zr ₂ O ₇ coatings	15
S. Mihm, T. Duda, Birr/CH, G. Thomas, H. Gruner, Mägenwil/CH, and B. Dzur, Ilmenau/D TBC coating cost reduction by optimization of the atmospheric plasma spray process	15

C. Giolli, A. Giorgetti, A. Scrivani, Rubbiano di Solignano/I, B. Bonferroni, G. Bolelli, F. Bozza, L. Lusvarghi, Modena/I, A. Fossati, M. DiFerdinando, Firenze/I, and G. E. Kim, Montreal/CDN	
Milling and cryo-milling affecting MCrAlY high temperature oxidation mechanism	15
X. Zhong, H. Zhao, X. Zhou, S. Tao and C. Ding, Shanghai/CN	
Thermal shock resistance of gadolinium zirconate coating with addition of nanostructured yttria partially-stabilized zirconia	16
New Processes 2	
M. Watanabe, C. Brauns, M. Komatsu, S. Kuroda, Ibaraki/J, H. Katanoda, Kagoshima/J, F. Gärtner and T. Klassen, Hamburg/D	
Effect of nitrogen flow rate on mechanical properties of metallic coatings by warm spray deposition	16
A. Wank and A. Schwenk, Luckenbach/D	
HVOF K2 vs. cold gas spraying	16
J. Karthikeyan, C. M. Kay, Barberton/USA, M. W. Rininger, E. C. Brown, M. S. Steele, Windber/USA, J. Porter and T. J. Eden, State College/USA	
Portable high pressure cold sprayed aluminum alloy coatings	17
Aviation Industry 3	
A. Manap and K. Ogawa, Sendai/J	
The protectiveness of thermally grown oxides on cold sprayed CoNiCrAlY bond coat in thermal barrier coating ..	17
C. V. Cojocar, D. Levesque, C. Moreau and R. S. Lima, Boucherville/CDN	
Structural and mechanical properties analysis of Si/Mullite/BSAS environmental barrier coatings exposed to thermal cycling in water vapour environment	17
S. Sahu and A. S. Khanna, Mumbai/IND	
Nano modified NiCrAlY coatings for bond coat for gas turbine blades	18
Cold Spraying 3	
S. Ravanbakhsh, H. Assadi, H. Nekoomanesh, A. Hassanzadeh and E. Taheri-Nassaj, Tehran/IR	
Cold spraying of ceramic coatings – A feasibility study	18
M. Yamada, Toyohashi/J, M. E. Dickinson, Auckland/NZ, K. Shima, N. Tjitra Salim, H. Nakano and M. Fukumoto, Toyohashi/J	
Deposition behavior and adhesion strength of cold-sprayed TiO ₂ particles	18
A. List, F. Gärtner, T. Schmidt and T. Klassen, Hamburg/D	
Impact conditions for cold spraying of hard metallic glasses	19
K. H. Ko, J. O. Choi and H. Lee, Suwon/KR	
Abnormal intermetallic compound formation of cold sprayed Cu-Sn coatings	19
Alternative Power Generation	
M. Seeger, E. D. Reese, D. P. Jonke, M. Enghart and K. Drechsler, Munich/D	
Cost effective manufacturing of molds for CFRP component production	19
A. G. M. Pukasiewicz, Ponta Grossa/BR, A. R. Capra and R. S. C. Paredes, Curitiba/BR	
Development of arc thermally sprayed Fe-Mn-Cr-Si coatings against cavitation erosion	20
P. T. Nielsen, T. Mathiesen, J. K. Kristensen, L. Hilbert, Broendby/DK, and L. Yde, Herning/DK	
Atmospheric plasma spraying of electrodes for conversion of electricity to hydrogen by high temperature alkaline electrolysis of water	20
D. D. Jackson, San Diego/USA, M. Sereda, San Jose/USA, and R. Gansert, Simi Valley/USA	
Effect of directional re-solidification on thermal plasma spray silicon depositions	20
A. Hall, K. V. Every, M. Knight, J. McCloskey, D. Urrea, A. Ambrosini, T. Lambert, N. Siegel, A. Mahoney and C. Ho, Albuquerque/USA	
Solar selective coatings for concentrating solar power central receivers	21

Cold Spraying 4

F. Seviliano, P. Poza, C. J. Múnez, Madrid/E, S. Vezzù, S. Rech and A. Trentin, Venezia/I Influence of the powder morphology and alumina content in cold-sprayed Ni-Al ₂ O ₃ coatings.....	21
C. Feng, V. Guipont, M. Jeandin, Evry/F, O. Amsellem, F. Pauchet, R. Saenger, Clamart/F, S. Bucher and C. Iacob, Buchy/F B ₄ C-Ni composite coatings prepared by cold spray of blended or CVD-coated powders	21
P. Chivavibul, M. Watanabe, S. Kuroda, J. Kawakita, M. Komatsu, Tsukuba/J, K. Sato and J. Kitamura, Gifu/J Effects of particle strength of feedstock powders on properties of warm-sprayed WC-Co coatings	22
H. Gutzmann, S. Freese, F. Gärtner and T. Klassen, Hamburg/D Cold gas spraying of ceramics using the example of titanium dioxide	22

Plasma Spraying 1

Yu. Borisov, O. Kyslytsya, S. Voinarovych, Ie. Kuzmyc-Ianchuk and V. Pidgaetskyi, Kyiv/UA Microplasma wire spraying of biomedical Ti-coatings	22
--	----

Fuel Cells 2

J. Harris, M. Qureshi and O. Kesler, Toronto/CDN Deposition of composite LSCF-SDC and SSC-SDC cathodes by axial-injection plasma spraying	23
M. Gindrat, Wohlen/CH, and R. Damani, Winterthur/CH LPPS hybrid technologies for emerging energy applications – recent developments	23

New Processes 1

K. L. C. Chien, M. Golozar and T. W. Coyle, Toronto/CDN Effect of solution chemistry on solution precursor plasma spray deposition of LiFePO ₄	23
F.-L. Toma, S. Langner, M. M. Barbosa, L.-M. Berger, C. Rödel and A. Potthoff, Dresden/D Influence of the suspension characteristics and spraying parameters on the properties of dense suspension-HVOF sprayed Al ₂ O ₃ coatings	24

Quality & Qualification

S. Meneghetti, C. Giolli, A. Giorgetti and A. Scrivani, Parma/I The efficient management of public R&D funding in order to promote the development of the territory	24
W. Krömmner and P. Heinrich, Munich/D What are the benefits of an association such as GTS for a thermal spray company?	24
R. Huber and A. Ohliger-Volmer, München/D Important and in demand than ever: training and qualification of thermal spray personnel	25
M.-P. Planche, S. Costil and G. Montavon, Belfort/F E-learning training in plasma spraying area	25

Process Diagnostics, Sensors & Controls 1

Yu. Chivel, Minsk/BY, and I. Smurov, Saint Etienne/F Development of optical monitoring of the thermal spaying	25
J. Tewes, M. Hertter, München/D, H. Voggenreiter, Stuttgart/D, T. Biermordt, M. Heinrich, S. Zimmermann, K. Landes and J. Schein, Neubiberg/D Investigation and comparison of particle parameters determined with SprayWatch and LDA (Laser Doppler Anemometry) during the cold gas spraying process	26
M. Koller, A. Kilchenmann and A. Barth, Wohlen/CH Intelligent gun technology: reducing costs with EvoLink in R&D and operations	26

Nanomaterial Coatings 2

M. Yandouzi, Ottawa/CDN, M. Brochu, Montreal/CDN, and B. Jodoin, Ottawa/CDN Nanostructured metal matrix composite coating production by pulsed gas dynamic spraying	26
G. Montavon, Sévenans/F, J. Ilavsky, Argonne/USA, A. Denoirjean, P. Fauchais, A. Bacciochini, Limoges/F, and K. Wittmann-Teneze, Monts/F Ultra-small angle X-Ray scattering (USAXS) <i>in-situ</i> quantification of void network evolution during annealing of nanometer-sized YSZ plasma-sprayed coatings	27

Automotive Industry 1

M. Ducos, Mornas/F, B. Gay, P. Verbiest, Angleur/B, Ch. Verschave, Boulogne-Billancourt Cedex/F, H. Hoel, Ampfing/D, and X. Vanden Eynde, Liège/B Localized zinc coatings on automotive steel sheets by cold spray technology	27
E. Altuncu, Kocaeli/TR and Sakarya/TR, F. Ustel, A. Turk and A. Uzun, Sakarya/TR Sliding wear behavior of HVOF sprayed metal matrix carbides	27
A. Manzat, A. Killinger and R. Gadow, Stuttgart/D Supersonic flame sprayed cylinder liner coatings and the benefits of their intrinsic porosity	28
L. Schramm, C. Verpoort, Aachen/D, A. Schwenk, Luckenbach/D, K. Bobzin, N. Bagcivan, T. Schläfer, S. Theiß and K. Yilmaz, Aachen/D Friction improvement of new generations of engines by PTWA cylinder bore coating and new piston rings	28
G. Flores, Ostfildern/D Thermal coating of cylinder bores needs approved processes of pre and post treatment	28

Modeling & Simulation 2

J.-M. Lamarre, P. Marcoux, M. Perrault, R. C. Abbott and J.-G. Legoux, Boucherville/CDN Performance analysis and modeling of thermally sprayed resistive heaters	29
Yu. Korobov, M. Filippov, S. Nevezhin and M. Shallimov, Ekaterinburg/RUS Modeling a formation of Fe-Cr-Al coating produced by arc spraying	29
H. Tabbara, S. Kamnis and S. Gu, Southampton/GB Modelling ceramic droplet impingement	29
A. Ilin, R. Logvinov, A. Prihodovsky, Bayreuth/D, V. Ploshikhin, Bremen/D, and D. Jonke, Ottobrunn/D Efficient numerical method for the calculation of the structure's shape produced by thermal spray	29

Medical Industry 1

D. V. Dudina, S. B. Zlobin, V. Yu. Ulianitsky, N. V. Bulina, A. L. Bychkov and O. I. Lomovsky, Novosibirsk/RUS Detonation spraying of TiO ₂ -Ag powders under a controllable atmosphere	30
H. Melero, J. Fernández, S. Dosta and J. M. Guilemany, Barcelona/E Characterization of novel bioactive hydroxyapatite-TiO ₂ coatings obtained by high velocity oxy-fuel	30
N. Tjitra Salim, M. Yamada, H. Isago, K. Shima, H. Nakano and M. Fukumoto Toyohashi/J The understanding on adhesion mechanism of cold sprayed TiO ₂ coating	30

Characterization & Testing 3

F. Trenkle, Bad Krozingen/D, H.-P. Vollmar, Sindelfingen-Maichingen/D, and S. Hartmann, Bad Krozingen/D Testing of the electric conductivity of non-ferrous metallic coatings	31
W. Tillmann, J. Nellesen and M. Abdulgader, Dortmund/D Microtomographic analysis of splat formation and layer build-up of a thermally sprayed coating	31
N. Serres, Strasbourg/F, S. Costil, A. Lamraoui, C. Langlade and C. Coddet, Belfort/F Life cycle assessment of surface preparation processes implemented before thermal spray	31
C. Brunetti, F. H. Mendes, G. Pintaude and A. S. C. M. D'Oliveira, Curitiba/BR Analysis of Ni-Al coatings in-situ processed by plasma transferred arc	32

Pre- & Post-Treatment 1

J.-E. Döring and L. de Schoulepnikoff, Langenfeld/D Review on the art of anilox-manufacturing – from the coated cylinder up to the gravure	32
P. Seiler, M. Bäker, J. Rösler, Braunschweig/D, M. Schweda and T. Beck, Jülich/D Thermal barrier coatings on surfaces with micro-machined roughness profiles	32
T. Maruyama, T. Kishita and T. Kobayashi, Suita/J Effect of hardness in blasted substrate surface on adhesive strength of sprayed coatings	33

Industrial Gas Turbines 2

T. Izumi, H. Arikawa, Y. Kojima, Hitachi/J, M. Okada and T. Hisamatsu, Yokosuka/J Oxidation behavior of bond coats with and without Y addition	33
G. Mauer, D. Sebold, R. Vaßen and D. Stöver, Jülich/D Improving atmospheric plasma spraying of zirconate thermal barrier coatings based on particle diagnostics	33
U. Bardi, C. Borri, Sesto Fiorentino/I, C. Giolli, A. Giorgetti, S. Meneghetti, J. Nocivelli and A. Scrivani, Parma/I Net energy return (EROEI) of thermal barrier coatings in turbine engines	33

Aviation Industry 4

Z. Tang, H. Kim, I. Yaroslavski, G. Masindo, Z. Celler and D. Ellsworth, North Vancouver/CDN Novel thermal barrier coatings produced by axial suspension plasma spray	34
L. Li and V. Belov, Danbury/USA Impact of particle size distribution on the TBC coating deposition and performance.....	34
A. Quet, L. Bianchi, Monts/F, E. Darthout, F. Gitzhofer, Sherbrooke/CDN, J. L. Leluan, Le Haillan/F, and F. Rebillat, Pessac/F Yttrium silicate coatings by sol precursor plasma spraying for environmental barrier applications	34
Q. Li, S. Gong, H. Liu, W. Yang and S. Li, Beijing/CN Phase stability and thermal conductivity of plasma sprayed scandia, yttria-stabilized zirconia TBCs	35

Wear Protection 2

E. Bergonzini, G. Bolelli, B. Bonferroni, L. Lusvarghi, Modena/I, T. Varis, U. Kanerva, T. Suhonen, J. Oksanen, O. Söderberg and S.-P. Hannula, Espoo/FIN Wear behaviour of HVOF-sprayed nanostructured WC-CoCr coatings	35
G. Bolelli, B. Bonferroni, L. Lusvarghi, A. Milanti, Modena/I, K. Niemi, J. Laurila and P. Vuoristo, Tampere/FIN Characterisation of HVOF-sprayed Fe-based alloy coatings	35
O. Meydanoglu, Istanbul/TR, B. Jodoin, Ottawa/CDN, and E. Sabri Kayali, Istanbul/TR Microstructure and mechanical properties of 7075 Al matrix SiC reinforced composite coatings produced by the cold gas dynamic spraying process	36

Modeling & Simulation 3

H. Katanoda, Kagoshima/J Influence of computational grid spacing on gas/particle flow of cold spray	36
M. Vilémová, J. Matějčíček and R. Mušálek, Prague/CZ Application of structure-based models of mechanical and thermal properties on plasma sprayed coatings	36
Y. Hu and Y. Shan, Shanghai/CN Heat and mass transfer within an evaporating solution droplet in a plasma jet	36

Plasma Spraying 2

D. Chen, J. Colmenares-Angulo, R. Molz, C. Dambra and D. Hawley, Westbury/USA Helium-free parameter development for TriplexPro-210 plasma gun	37
--	----

K. Bobzin, T. Schläfer, I. Petković, Aachen/D, K. Hartz-Behrend, K. Landes, G. Forster, S. Kirner, J.-L. Marqués, S. Zimmermann, J. Schein, Neubiberg/D, J. Prehm, L. Xin, M. Erne, K. Möhwald and Fr.-W. Bach, Garbsen/D Homogenization of coating properties in atmospheric plasma spraying – Results and outlook of a DFG (German Research Foundation)-Funded Research Group	37
N. Zotov, A. Hospach, G. Mauer, D. Sebold and R. Vaßen, Jülich/D Deposition of La-Sr-Fe-Co perovskite coatings with different microstructures by low pressure plasma spraying ...	37
Y. Gao, D.-M. Yang and B.-H. Tian, Dalian/CN The characteristic of plasma torch designed for the very low-pressure plasma spraying	37

Plasma Spraying 3

P. Čtíbor, Z. Pala, K. Neufuss, V. Štengl, I. Piš, T. Zahoranová and V. Nehasil, Prague/CZ Titanium dioxide coatings sprayed by a water stabilized plasma gun (WSP) with argon and nitrogen as the powder feeding gas: differences in structural, mechanical and photocatalytic behavior	38
K. J. Hollis, Los Alamos/USA Plasma sprayed zirconium thermal diffusion behavior	38
E. Sánchez, C. Felú, P. Carpio, E. Bannier, Castellón/E, R. Moreno, M. C. Alcázar, Madrid/E, M. D. Salvador, R. Benavente and V. Bonache, Valencia/E Reconstitution of yttria-stabilised zirconia nanopowders to obtain coatings by atmospheric plasma spraying	38

HVOF & Flame Spraying 2

C.-J. Li, X.-M. Wang, C.-X. Li and G.-J. Yang, Xi'an/CN Deposition of surface-melted YSZ particles by flame spraying	39
A. J. López, J. Rams, B. Torres, P. Rodrigo and M. Campo, Madrid/E Influence of HVOF spraying parameters on the wear resistance of Al-SiC composites coatings deposited on ZE41A magnesium alloy	39
W. Saechua, D. Zhang, K. T. Voisey and D. G. McCartney, Nottingham/GB Investigation of in-flight particle characteristics of HVOF sprayed MCrAlY coatings	39
K. Alamara, S. Saber-Samandari and C. C. Berndt, Melbourne/AUS Effect of substrate roughness on splat formation of thermally sprayed polymer	40

Characterization & Testing 4

T. Steinke, M. O. Jarlago, D. E. Mack, R. Vaßen und D. Stöver, Jülich/D The influence of CMAS attack on the lifetime of thermal barrier coatings	40
M. Barbosa, D. Schneider, R. Puschmann, F.-L. Toma and L.-M. Berger, Dresden/D Microstructural investigation of thermally sprayed ceramic coatings by laser acoustic surface waves	40
J. Nohava, Peseux/CH, Š. Houdková, Plzeň/CZ, P. Haušild, Prague/CZ, and R. Enžl, Duiven/NL Comparison of isolated indentation and grid indentation methods for HVOF sprayed cermets	41

Process Diagnostics, Sensors & Controls 2

W. Tillmann, B. Hussong, S. Kuhnt, N. Rudak and H. Weinert, Dortmund/D Modeling properties of HVOF thermally sprayed WC-Co coatings based on particle-in-flight characteristics	41
D. Crawford, Sahuarita/USA, R. Gansert, Simi Valley/USA, and D. Wright, Gilbert/USA Injection optimization of composite powders using laser based particle visualization	41

Tribological Coatings 2

Z. J. Yin, X. H. Tan, Q. X. Wang, S. H. Xu, R. L. Hao, Q. L. Deng, Shanghai/CN, and J. S. Sun, Tianjin/CN Improved microstructure and properties of thermal-sprayed cermet coatings modified by laser remelting post-treatment	42
M. Watanabe, M. Komatsu and S. Kuroda, Ibaraki/J WC-Co/metal multi-layer coatings by warm spray deposition	42

F. Mubarak, Trondheim/N, J. Puranen, P. Vuoristo, Tampere/FIN, R. Johnsen and N. Espallargas, Trondheim/N	
Effect of suspension characteristics on microstructure of suspension plasma sprayed SiC submicron coatings ...	42
W. Żórawski, Kielce/PL, T. Burakowski, Warsaw/PL, and S. Skrzypek, Cracow/PL	
Tribological properties of HVOF sprayed nanostructured composite coatings	43

Corrosion Protection 2

A. Pontarollo, S. Vezzù, A. Trentin, S. Rech, M. Guidolin, A. Cafissi, C. Peretti and B. Molinas, Venice/I	
Characterisation of Inconel 625 coatings deposited by cold spray	43
N. Bala, Fatehgarh Sahib/IND, H. Singh, Rupnagar/IND, and S. Prakash, Uttarankhand/IND	
Performance of HVOF and cold sprayed Ni-20Cr coatings in aggressive molten salt environment at 900°C under cyclic condition	43
J.-M. Roy, P. Richer, L. Beauvais and B. Jodoin, Ottawa/CDN	
Oxidation behaviour of CoNiCrAlY bond coats produced by APS, HVOF and CGDS at temperatures of 1000 °C and 1100 °C	44

Medical Industry 2

A. Trentin, S. Vezzù, S. Rech, Venice/I, S. Gulizia and M. Jahedi, Clayton South/AUS	
Biocompatibility of titanium coatings deposits on CoCr by cold spray	44
A. Chebbi, J. Podporska and J. Stokes, Dublin/IRL	
Thermal spraying of bioactive polymer coatings for orthopaedic applications	44
W. Z. Wang, J. C. Liang and F. Z. Xuan, Shanghai/CN	
Effect of the substrate temperature on properties and dissolution of plasma sprayed wollastonite coatings	45

Pre- & Post-Treatment 2

L. F. Grimenstein, West Chester/USA	
Polymers in thermal spray	45

Pre- & Post-Treatment 3

B. Wielage, C. Rupprecht, T. Lindner, Chemnitz/D, and R. Hunger, Landsberg/D	
Surface modification of austenitic thermal spray coatings by low-temperature carburization	45
S. Vezzù, S. Rech, A. Trentin, Venice/I, P. Poza, C. J. Múñez and M. A. Garrido-Maneiro, Madrid/E	
Effect of laser remelting on the mechanical behaviour of Inconel 625 cold-sprayed coatings	46
G. Buza, Budapest/H, A. Molnar, I. Felde, Budapest/H, and A. Balogh, Miskolc/H	
Laser treatment of thermal sprayed NiCrBSi coating: modelling, study and characterization	46
A. Ibrahim, K. Shahrabi, M. Zoghi, Y. Hung, Y. Ryu, New York/USA, C. C. Berndt, Melbourne/AUS, and M. Khonsari, Baton Rouge/USA	
Excimer laser surface treatment of plasma sprayed coatings	46

Corrosion Protection 3

D. Dzhurinskiy, E. Maeva, V. Leshchynsky and R. Gr. Maev, Windsor/CDN	
Local corrosion protection of joints by low pressure cold spray	47
Y. Ishikawa and K. Hamashima, Yokohama/J	
Pt thermal sprayed coating on refractory-bricks for glass melting	47
M. Tului, B. Giambi, G. Pulci and T. Valente, Rome/I	
Silicon carbide based plasma sprayed coatings	47

Young Professionals

N. Zhang, Dailan/CN and Belfort/F, F. Sun, L. Zhu, M. P. Planche, H. Liao, Belfort/F, C. Dong, Dailan/CN, and C. Coddet, Belfort/F Measurement of specific enthalpy under very low pressure plasma spray condition	48
H. Canales, A. Dolmatov and S. Markovich, Kharkov/UA Computational analysis of composite powders impacts to evaluate ceramic coatings in cold spraying	48
K. Bobzin, T. Schläfer, T. Warda and C. Schulz, Aachen/D Thermal spraying of advanced zinc alloys as an addition to hot-dip galvanizing	48
W. Tillmann, L. Hagen, I. Baumann, M. Tolan, M. Paulus and F. Wieland, Dortmund/D Correlation of the particle behavior, microstructure and phase evolution during the optimization of HVOF sprayed WC-12Co coatings by means of DoE	49
S. Ebert, T. Steinke, R. Vaßen and D. Stöver, Jülich/D Failure mechanism of non-stoichiometric Mg-Al-Spinel abrasable coatings under thermal cyclic loading	49
K. Binder, F. Gärtner and T. Klassen, Hamburg/D Cold spraying of titanium using enhanced conditions and optimized nozzles	49
B. Wielage, T. Lampke, H. Pokhmurska, C. Rupprecht and R. Drehmann, Chemnitz/D Development of particle-reinforced nanostructured iron-based composite alloys for thermal spraying	50
M. Golozar, K. Chien and T. W. Coyle, Toronto/CDN Synthesis of porous super-capacitor electrodes using the SPPS deposition technique	50
W. Yong, G. Bae, K. Kang and C. Lee, Seoul/KR The effect of fracture-induced ceramic free surfaces for vacuum kinetic spray bonding	50
P. Müller, M. Floristán, A. Killinger, R. Gadow, Stuttgart/D, A. Cardella, Greifswald/D, and C. Li, Garching/D Development and characterization of oxide ceramic APS coatings for microwave absorption	51
C. Metcalfe, E. Lay and O. Kesler, Toronto/CDN Deposition of nickel – yttria stabilized zirconia and nickel – samaria doped ceria by solution precursor plasma spraying for solid oxide fuel cells	51
F.-L. Toma, S. Scheitz, R. Puschmann, L.-M. Berger, V. Sauchuk and M. Kusnezoff, Dresden/D Development of ceramic heating elements produced by thermal spray technology	51
Z. Zhou, D. Y. He, G. Z. Zhang, R. Li and J. M. Jiang, Beijing/CN Influence of boron content on microstructure and properties of wire-arc sprayed Fe-based coating	51

Posters

Alternative Power Generation

A. G. M. Pukasiewicz, Ponta Grossa/BR, A. R. Capra and R. S. C. Paredes, Curitiba/BR Cavitation erosion mechanism in Fe-Mn-Cr-Si-Ni arc thermally sprayed coatings	53
---	----

Automotive Industry

H. Bu, Shanghai/CN, B. Jodoin, M. Yandouzi, Ottawa/CDN, and C. Lu, Shanghai/CN Investigation of heat treatment on cold sprayed aluminum coatings on magnesium substrates with different status	53
Š. Houdková, M. Kašparová and F. Zahálka, Plzeň/CZ Sliding wear behavior of HVOF sprayed coatings, suitable for piston rings application	53

Aviation Industry

P. Lutz, Überlingen/D Applications of cold gas spraying compared to manual laser welding in connection with a repair contract in the aerospace field	54
--	----

A. C. Karaoglanli, Bartin/TR, T. Lampke, Chemnitz/D, T. Grund, Chemnitz/D, F. Ak Azem, Dokuz Eylul/TR, I. Ozdemir, Bartin/TR, A. Turk and F. Ustel, Sakarya/TR	
Study of oxidation behavior of TBCs with APS and HVOF CoNiCrAlY bond coatings	54
P. Seiler, J. Rösler, D. Mukherji and T. Kopka, Braunschweig/D	
Thermal barrier coatings on novel high temperature cobalt rhenium substrates	55
J. Schloesser, M. Bäker and J. Rösler, Braunschweig/D	
Thermal barrier coatings for rocket engines	55
T. Lampke, Chemnitz/D, N. El-Mahallawy, Cairo/ET, T. Grund, Chemnitz/D, I. El-Araby, Cairo/ET, and A. C. Karaoglanli, Bartin/TR	
Effect of bond coat material and heat treatment on adhesion strength and characteristics of thermal barrier coating system with CGDS, HVOF and APS techniques	55

Ceramic Coatings

M. Arai, Kanagawaken/J, and T. Suidzu, Kobe/J	
Development of porous ceramic coating for high-efficiency cooling system	56
J. Y. Xiang, S. H. Chen, J. H. Huang, G. D. Zhou, W. J. Liang, R. J. Wang and Q. He, Beijing/CN	
Preparation and thermophysical properties of La ₂ (Zr _{0.7} Ce _{0.3}) ₂ O ₇ ceramic material	56
K. Ogawa, H. Arata, Sendai/J, M. Takegoshi, F. Ono and T. Saito, Kakuda/J	
Deposition of ceramic oxides in atmosphere and at room temperature using the powder jet deposition technique	56
M. O. Jarligo, G. Mauer, D. Mack, R. Vassen and D. Stöver, Jülich/D	
Advanced thermal barrier coatings from Ti-doped YSZ systems	57
H. Salimi Jazi, M. Hosseini, A. Shafeyi, Isfahan/IR, H. Samadi, L. Pershin, T. W. Coyle and J. Mostaghimi, Toronto/CDN	
Study of plasma sprayed mullite coating using mullite and a mixture of alumina and silica powder particles	57
E. Altuncu, Kocaeli/TR and Sakarya/TR, D. Tozkoparan, S. C. Okumus and F. Ustel, Sakarya/TR	
Optimization of plasma spray processing parameters for deposition of YSZ+Al ₂ O ₃ coating	57
F. O. Drozda, S. A. Pianaro and A. S. C. M. d'Oliveira, Curitiba/BR	
Synthesis of Al ₂ O ₃ coatings by plasma transferred arc	58

Characterization & Testing

L. Łatka, Limoges/F, L. Pawłowski, Limoges/F, F. Petit, Mons/B, and S. Kozerski, Wrocław/PL	
Scratch test mechanical properties of suspension plasma sprayed TiO ₂ coatings	58
M. Vilemova, J. Siegl, J. Matejcek and R. Musalek, Prague/CZ	
Effect of the grit blasting exposure time on the adhesion of Al ₂ O ₃ and 316L coatings	58
S. Abukawa, T. Takabatake, Y. Namba and K. Tani, Akashi/J	
Electrical properties of Al ₂ O ₃ -TiO ₂ plasma sprayed coatings for electrode of corona discharge	59
R. Gr. Maev, S. Titov, J. Dech and V. Leshchynsky, Windsor/CDN	
Cold spray ultrasonic monitoring and modeling.....	59
M. Kašparová, F. Zahálka, Š. Houdková and J. Volák, Pilsen/CZ	
The tensile and shear strength of thermally sprayed coatings	59
S. Takahashi, N. Hirano, Tokyo/J, Y. Kojima, Hitachi/J, Y. Harada, Akashi/J, A. Kawasaki, Sendai/J, and F. Ono, Osaka/J	
Thermal shock resistance of plasma-sprayed thermal barrier coatings	59
R. Trache, L.-M. Berger, F.-L. Toma, S. Stahr, Dresden/D, R. S. Lima and B. R. Marple, Boucherville/CDN	
Electrical resistivity of thermally sprayed Cr ₂ O ₃ -TiO ₂ coatings	60
A. A. Shtertser, V. Yu. Ulianitsky, K. A. Tsarakhov and B. E. Grinberg, Novosibirsk/RUS	
Characterization of detonation sprayed coatings	60
Y. Harada, Y. Takatani and K. Tani, Akashi/J	
Innovative testing method for interconnected porosity of thermally sprayed ceramic coatings using electroplating	60
D. Bond, Joinville/BR, and A. S. C. M. D'Oliveira, Curitiba/BR	
Solidification of plasma transferred arc coatings	61

Cold Spraying

S. Yin, X.-F. Wang, Dalian/CN, W.-Y. Li, Xi'an/CN, and R. Xie, Dalian/CN Numerical study on the role of substrate size in supersonic jet flow and substrate preheating process in cold spraying	61
W.-Y. Li, Xi'an/CN, M. Yu, Xi'an/CN and Belfort/F, and H. L. Liao, Belfort/F Finite element simulation of impacting behavior of particles in cold spraying by Eulerian approach.....	61
X. K. Suo, X. P. Guo, Belfort/F, W. Y. Li, Xi'an/CN, M. P. Planche, R. Bolot, H. L. Liao and C. Coddet, Belfort/F Influence of gas temperature, particle size and substrate material on the deposition behaviour of cold sprayed magnesium coatings	62
X. K. Suo, X. P. Guo, Belfort/F, W. Y. Li, Xi'an/CN, M. P. Planche, R. Bolot, H. L. Liao and C. Coddet, Belfort/F Effects of spray nozzle design on cold sprayed magnesium alloy coating and its composite	62
A. Kashirin, O. Klyuev, T. Buzdygar and A. Shkodkin, Obninsk/RUS Modern applications of the low pressure cold spray.....	62
H.-T. Wang, Jiujiang/CN, C.-J. Li, Xi'an/CN, G.-C. Ji, Jiujiang/CN, and G.-J. Yang, Xi'an/CN Influence of annealing treatment on the microstructure and microhardness of cold sprayed nanostructured FeAl coating.....	62
V. Leshchynsky, Windsor/CDN, A. Papyrin, Albuquerque/USA, O. Bielousova, I. Yadroitsava and I. Smurov, Saint-Etienne/F Impact particle behavior in cold gas dynamic spray of composite coatings.....	63
H.-T. Wang, Jiujiang/CN, C.-J. Li, Xi'an/CN, G.-C. Ji, Jiujiang/CN, and G.-J. Yang, Xi'an/CN Annealing effect on the intermetallic compound formation of cold sprayed Fe/Al composite coating	63
J. Assaad, A. Corbeil, P. Richer and B. Jodoin, Ottawa/CDN Novel manufacturing method for producing stacked wire mesh compact heat exchangers using cold spray	63
I. Ozdemir, Bartin/TR, K. Ogawa, Sendai/J, K. Sato, Gifu/J, and D. Seo, Sendai/J Iron boride coatings produced by cold spray processes	64
R. Gr. Maev, E. Leshchinsky and E. Maeva, Windsor/CDN New cold spray based technique of FeAl intermetallic compound coating synthesis	64
R. Huang and H. Fukunuma, Saitama/J Study of the influence of particle velocity on adhesion strength of cold spray deposits	64
W. Wong, Montreal/CDN, E. Irissou, J.-G. Legoux, Boucherville/CDN, and S. Yue, Montreal/CDN Microstructural changes during heat treatment of cold sprayed pure titanium coatings	65
X.-T. Luo and C.-J. Li, Xi'an/CN Thermal stability of microstructure and hardness of cold-sprayed cBNp/NiCrAl nanocomposite coating	65
G.-J. Yang, J. Wang, C.-J. Li, Q. Zhang and C.-X. Li, Xi'an/CN Effect of in-situ softening on the deposition behavior of particles by controlling gas stream traversing during cold spraying	65
D. Fang, S. Deng, H. Liao and C. Coddet, Site de Sévenans/F Automatic generation of robot trajectory for free-form surfaces in thermal spraying	66
K. H. Kim, S. Kuroda, M. Watanabe, Tsukuba/J, R. Huang, H. Fukunuma, Saitama/J, and H. Katanoda, Kagoshima/J Comparison of oxidation and microstructures of warm-sprayed and cold-sprayed titanium coatings	66
N. Tjitra Salim, M. Yamada, H. Nakano, H. Isago, K. Shima and M. Fukumoto, Toyohashi/J The synthesis of titanium dioxide powders for cold spray	66
F. Alishir, H. Nekoumanesh and H. Assadi, Tehran/IR Thermal analysis of cold-sprayed copper coatings	67
S. Kuemmel, T. Grund, P. Loeschner and B. Wielage, Chemnitz/D Influence of deposition conditions and heat treatment on tensile strength of cold spray aluminium coatings on Al ₂ O ₃ and AlN substrates.....	67
K. Sato, Gifu/J and Sendai/J, D. Seo, Sendai/J, H. Furukawa, J. Kitamura, Gifu/J, and K. Ogawa, Sendai/J Influence of gas conditions in cold spraying on WC cermet coatings	67
K. Sato, Gifu/J and Sendai/J, H. Furukawa, J. Kitamura, Gifu/J, D. Seo, Sendai/J, and K. Ogawa, Sendai/J Influence of metal binder of WC cermet powder for cold spray and HVOF	68

V. Leshchynsky, Windsor/CDN, O. Bielousova, N. Ryashin, I. Yadroitsava and I. Smurov, Saint-Etienne/F	
Interface reactions in composite coatings deposited by cold spray and detonation spraying	68

Corrosion Protection

J. Laurila, K. Niemi, P. Vuoristo, Tampere/FIN, and J. Vajala, Savonlinna/FIN	
Corrosion and wear resistance of molybdenum containing arc spray composite coatings	68
K. Niemi, J. Hakalahti, L. Hyvärinen, J. Laurila, P. Vuoristo, Tampere/FIN, L.-M. Berger, F.-L. Toma and I. Shakhverdova, Dresden/D	
Influence of chromia alloying on the characteristics of APS and HVOF sprayed alumina coatings	69
H. Pokhmurska, B. Wielage, Chemnitz/D, R. N. Durham, M. Schütze, Frankfurt am Main/D, D. Franik and A. Gebert, Chemnitz/D	
Corrosion resistance of thermally sprayed coatings and welded overlays in waste incineration environments	69

Fuel Cells

G.-J. Yang, K.-X. Liao, C.-J. Li, S.-Q. Fan, C.-X. Li and S. Li, Xi'an/CN	
Effect of accelerating gas flow on pore structure and mass transport property of vacuum cold sprayed TiO ₂ coatings using strengthened nanostructured powder	69
M. J. Cuglietta and O. Kesler, Toronto/CDN	
Relationship between particle and plasma properties and coating characteristics of samaria-doped ceria prepared by atmospheric plasma spraying for use in solid oxide fuel cells	70
J. Puranen, L. Hyvärinen, J. Lagerbom, M. Kylmälahti, H. Koivuluoto and P. Vuoristo, Tampere/FIN	
Suspension plasma spraying (SPS) of manganese-cobalt spinel coatings	70
C. Christenn, A. Ansar, A. Haug, S. Wolf and J. Arnold, Stuttgart/D	
The solution precursor plasma spray process for making zirconia based electrolytes	70

HVOF & Flame Spraying

M. Aghaee, M. Salehi and H. R. Salimijazi, Isfahan/IR	
Anisotropic electrical conductivity of copper coatings deposited by HVOF	71
M. Liu, C. M. Deng, G. C. Deng, J. Q. Chen, and K. S. Zhou, Guang Zhou/CN	
Densification of low temperature HVOF Ti coating	71
G. Kaushal, Mandi Gobindgarh/IND, H. Singh, Rupnagar/IND, and S. Prakash, Uttarankhand/IND	
Corrosion behaviour of HVOF-sprayed Ni-20Cr coating in a molten salt environment at 900°C	71

Industrial Gas Turbines

Z.-Y. Chen, J. Feng and Y. Gao, Dalian/CN	
Failure in APS porous thick YSZ coatings caused by thermal stress	72
E. Altuncu, Kocaeli/TR and Sakarya/TR, and F. Ustel, Sakarya/TR	
Correlation between process parameters and thermal cycling life time for thermal barrier coatings	72
C.-J. Li, Y. Li, G.-J. Yang and C.-X. Li, Xi'an/CN	
A novel plasma-sprayed durable thermal barrier coating with the well-bonded YSZ interlayer between porous YSZ and bond coat	72
G.-J. Yang, X.-D. Xiang, L.-K. Xing, D.-J. Li, C.-J. Li and C.-X. Li, Xi'an/CN	
Isothermal oxidation behavior of NiCoCrAlTaY coating deposited by high velocity air-fuel spraying	73

Medical Industry

E. Altuncu, Kocaeli/TR and Sakarya/TR, G. Erdogan, S. Ozturk and F. Ustel, Sakarya/TR	
Characterisation of plasma sprayed HAp coatings on Ti alloys	73

Metal Coatings

D.-M. Yang, B.-H. Tian and Y. Gao, Dalian/CN	
Microstructure and properties of FeAl coatings prepared by APS, LPPS and HVOF	73

Z. Zeng, N. Sakoda, S. Tajiri, Okayama/J, S. Kuroda and M. Komatsu, Tsukuba/J	
Suppressing oxidation of Ni-Cr alloy with addition of Si, B and C in atmosphere plasma spray process	74

Metals Processing

X. Chen, Jiujiang/CN	
Durability of low pressure plasma sprayed MoB/CoCr coating in molten Al-12.07wt%Si alloy	74

Modeling & Simulation

A. Elsebaei, Zifta-Elgharbia/ET, J. Heberlein, Minneapolis/USA, and M. Moubasher, Zifta-Elgharbia/ET	
Modeling of the effect of injected particle properties on plasma flow during ceramic coating process	74
J. H. Qiao, R. Bolot, H. L. Liao, P. Bertrand and C. Coddet, Belfort/F	
A 3D finite-difference model for the effective thermal conductivity of thermal barrier coatings	75
R. Huang, H. Fukanuma, Saitama/J, Y. Uesugi and Y. Tanaka, Kanazawa/J	
Simulation of arc root fluctuation in a DC non-transferred plasma torch with three dimensional modeling	75
Z. Cai, S. Deng, H. Liao, C. Coddet, Belfort/F, and C. Zeng, Wuhan/CN	
New method of generating robot trajectory on complex geometric workpiece	75
R. Bolot, Belfort/F, A. Allimant, D. Billières, Avignon/F, and C. Coddet, Belfort/F	
Turbulence effects in a DC plasma torch	76
T. Zabransky, Pilsen/CZ	
Using of CFD simulations for increasing speed and temperature of flame spray technology	76
O. P. Solonenko, V. A. Blednov, Novosibirsk/RUS, and V. I. Iordan, Barnaul/RUS	
Basic physics and engineering program system SPLAT – SPRAY DEPOSIT for computer-aided design of coatings formation	76

Nanomaterial Coatings

Yu. N. Tyurin, O. V. Kolisnichenko, Kyiv/UA, O. N. Ivanov, M. G. Kovaleva, O. N. Maradudina and Y. V. Trusova, Belgorod/RU	
Properties of nanostructured composite titanium coating on aluminium surface	77
H. Yang and L. Chen, Xi'an/CN	
Effects of power and concentration and dispersion phase on nano-zirconia coatings prepared by sol plasma spraying	77
A. Guignard, G. Mauer, R. Vaßen and D. Stöver, Jülich/D	
Deposition and characteristics of submicrometer-structured ceramic coatings by suspension thermal spraying ...	77
D. Soysal and A. Ansar, Stuttgart/D	
Atomization of water droplets in atmospheric plasma jets	78

New Processes

M. Karimi, G. W. Rankin, Windsor/CDN, and B. Jodoin, Ottawa/CDN	
Shock-wave induced spraying: Modeling and physics of a new spray process	78
A. Hospach, G. Mauer, R. Vaßen and D. Stöver, Jülich/D	
Characteristics of ceramic coatings made by thin film low pressure plasma spraying (LPPS-TF)	78
F.-L. Toma, S. Scheitz, S. Langner, L.-M. Berger, V. Sauchuk and M. Kusnezoff, Dresden/D	
Comparison of the electrical properties of Al ₂ O ₃ sprayed coatings from feedstock powders and aqueous suspensions	79

Plasma Spraying

Z. Li, Y. Yu, K. Zeng, R. Xianjing and M. Jianghong, Beijing/CN	
Properties of coating by plasma spraying ultrafine Cr ₃ C ₂ -25%NiCr powders	79
R. Vert, Monts/F, P. Carles, E. Laborde, G. Mariaux, Limoges/F, E. Meillot, Monts/F, and A. Vardelle, Limoges/F	
Adhesion of ceramic coating on thin and smooth metal substrate: A novel approach with a nanostructured ceramic interlayer	79

L.-H. Tian, C.-X. Li, C.-J. Li and G.-J. Yang, Xi'an/China Effect of dispersed TiC content on the microstructure and thermal property of shrouded- plasma-sprayed FeAl/TiC composite coatings	80
L. Zhu, N. Zhang, F. Sun, R. Bolot, M. P. Planche, H. Liao and C. Coddet, Belfort/F An improvement of low power plasma torch for very low pressure plasma sprayed thin and dense ceramic coatings	80
T. Kavka, J. Matějček, P. Ctibor and M. Hrabovský, Prague/CZ Spraying of metallic powders by hybrid gas/water torch and the effects of inert gas shrouding	80
Yu. Chivel, Minsk/BY, and I. Smurov, Saint Etienne/F Development of optical monitoring of the thermal spraying	81
M. Erne, D. Kolar, K. Möhwald and Fr.-W. Bach, Hannover/D Three anodes compared to three cathodes: Evaluation of gun concepts for high performance plasma spraying operation	81

Powders, Wires & Suspensions

W. Tillmann and M. Abdulgader, Dortmund/D Particle size distribution of the filling powder in cored wires and their effect on arc behavior, in-flight particle behavior and splat formation	81
G. Bertolissi, Modena/I, C. Chazelas, Limoges/F, G. Bolelli, L. Lusvarghi, Modena/I, M. Vardelle and A. Vardelle, Limoges/F Precipitate formation and evolution in solution precursor plasma spraying	82
O. P. Solonenko, I. P. Gulyaev and A. V. Smirnov, Novosibirsk/RUS Theory and experiment on hollow spherical powders production	82

Pre- & Post-Treatment

S. Costil, Belfort/F, D. Poirier, Boucherville/CDN, W. Wong, Montréal/CDN, M. Pertou, E. Irissou, J.-G. Legoux, A. Blouin, Boucherville/CDN, S. Yue, Montréal/CDN, and C. Coddet, Belfort/F Effects of combined laser pre-treatments with cold spraying of Ti and Ti-6Al-4V	82
S. Dong, B. Song, Belfort/F, B. Hansz, Etupes/F, H. Liao and C. Coddet, Belfort/F Modeling of dry-ice blasting and its application in thermal spray	83
H. Pokhmurska, B. Wielage, A. Prokopyshyn, Chemnitz/D, and R. Winkelmann, Senftenberg/D Hot-gas corrosion-erosion resistance of thermally post-treated Fe-Al-based arc-sprayed coating	83

Process Diagnostics, Sensors & Controls

L. Rockstroh, S. Wahl, P. Werner, Z. Wang, S. Simon and R. Gadow, Stuttgart/D Accuracy of 2D continuous particle image velocimetry measurements in thermal spraying processes	83
M. Akuh, Bochum/D, L. Mercado and Z. Zurecki, Allentown/USA Cryo-gas cooling method and system for thermal spray coatings	84
M. Marr and O. Kesler, Toronto/CDN A substrate surface thermocouple for thermal spraying	84

Quality & Qualification

N. Serres, Strasbourg/F, S. Costil, C. Langlade and C. Coddet, Belfort/F Life cycle assessment of thick coating processes	84
S. Armada and A. Bjørgum, Trondheim/N Thermal spray: Status and current activities in Norway	85

Tribological Coatings

A. Rempp, A. Killinger, Stuttgart/D, M. Widmann, Fellbach/D, and R. Gadow, Stuttgart/D New approach to ceramic/metal – polymer multilayered coatings for high performance dry sliding applications ...	85
Yu. Korobov, S. Nevezhin, B. Potechin, V. Ilushin and L. Gogolev, Ekaterinburg/RUS Comparative characteristics of coatings produced from Sn-Sb-Cu babbitt by arc spraying, gas surfacing and pouring	85
F. Vargas, Medellin/CO, H. Ageorges, P. Fauchais, Limoges/F, and M. E. Lopez, Medellin/CO Evaluation by elastic and plastic contacts of wear performance of alumina-titania (13 and 45 wt %) coatings plasma and flame sprayed	86

Wear Protection

W. Tillmann and W. Luo, Dortmund/D Microstructure and wear resistance of arc-sprayed NiCrBSi coatings after remelting	86
W. Żórawski and N. Radek, Kielce/PL Properties of HVOF sprayed WC-Co coatings after ESD process	86

List of authors and co-authors	87
---	-----------