

Thermal Spray Solutions Advances in Technology and Application

Osaka, Japan May 10 - 12, 2004

Table of contents / Abstracts: ITSC 2004

Coating technologies for vehicle engines

Development of formers and otherwise language actions are allied a basis discallenging	04
Development of ferrous powder thermal spray coatings on cylinder bore in diesel engine	
High performance coatings produced by internal plasma spraying on engine blocks of new generation	
Cast iron coatings containing graphite structure by atmospheric plasma spraying	
A materials system and method of its application for the wear protection of aluminium engine cylinder bore surfaces	01
Applications (I)	
Coatings and its applications the properties of the high productive high velocity arc sprayed	02
$HVOF\ sprayed\ Cr_3C_2-NiCr\ cermet\ coating\ to\ improve\ the\ erosion\ resisting\ performance\ of\ the\ coal\ burning\ boiler\ tube$	02
Transition of a world class HVOF thermal spray capability into a US engine overhaul facility	02
Applications (II)	
Thermally sprayed filler metal coatings for high temperature brazing	02
Manufacturing diamond impregnated tools for stone machining through thermal spraying	03
Optimization of the repair thermal spray coatings for the damaged singlecrystal superalloy	03
Post-spray treatment of plasma sprayed yttria stabilized zirconia (YSZ) electrolyte with spark plasma sintering (SPS) technique	03
Mechanical properties of ceramic matrix composite for high temperature applications obtained by plasma spraying	03
Thermal barrier coatings (II)	
Effect of interface roughness on internal stress of ceramic thermal barrier coating	04
Delamination crack growth in thermal barrier coatings	04
Performance of thermal barior coatings formed by gas tunnel type plasma spraying	
Intrinsic properties of thermal sprayed single splats on substrates	04
Thick thermal barrier coatings with controlled microstructures using solution precursor plasma spray process	05
The effect of YSZ microstructure on young's modulus	
Innovative equipment and process technology (II)	
Thin plasma-transferred-arc welded coatings – an alternative to thermally sprayed coatings?	05
Chemical composition optimisation of perovskite coatings by suspension plasma spraying for SOFC cathodes	
Denser ceramic coatings obtained by the optimization of the suspension plasma spraying technique	
Design of a nozzle extension for thermal spray under very low pressure conditions	
A study of plasma gun orientation control accuracy for the thermal spraying robot	
HVOF-processes and materials (II)	
Solid particle erosion resistance of thermally sprayed functionally graded polymer/ceramic coatings	06
Optimization of wear protective coatings for heat transferring components	
In-process exothermic reaction in HVOF and plasma spraying with SiO ₂ /Ni/Al-Si-Mg composite powder	
Phase structure-mechanical property relationships in HVOF-sprayed WC-12Co coatings	
A study of gas and particle flow characteristics in HVOF thermal spraying process	
Effect of feedstock powder size on the sliding wear behaviour of thermal sprayed HVOF Cr ₃ C ₂ -NiCr coatings	
Applications (IV)	
The on-site manufacturing of thermally sprayed coatings	NΩ
Development of plasma sprayed corrosion protection coatings for sodium sulfur battery cell containers	
Thick aluminum coatings using axial plasma spray for proton beam collimators	
Fatigue resistance characteristics of thermal sprayed CFRP (Carbon Fiber Reinforced Plastics) rollers	
Induction plasma spraying of samaria doped ceria as electrolyte for solid oxide fuel cells	
industrial plasma spraying of samana doped cena as discitoryte for solid oxide idel cells	

Table of contents / Abstracts: ITSC 2004

Coating technologies for vehicle engines

Development of ferrous powder thermal spray coatings on cylinder bore in diesel engine	01
High performance coatings produced by internal plasma spraying on engine blocks of new generation	01
Cast iron coatings containing graphite structure by atmospheric plasma spraying	01
A materials system and method of its application for the wear protection of aluminium engine cylinder bore surfaces	01
Applications (I)	
Coatings and its applications the properties of the high productive high velocity arc sprayed	02
HVOF sprayed Cr ₃ C ₂ -NiCr cermet coating to improve the erosion resisting performance of the coal burning boiler tube	02
Transition of a world class HVOF thermal spray capability into a US engine overhaul facility	02
Applications (II)	
Thermally sprayed filler metal coatings for high temperature brazing	02
Manufacturing diamond impregnated tools for stone machining through thermal spraying	03
Optimization of the repair thermal spray coatings for the damaged singlecrystal superalloy	03
Post-spray treatment of plasma sprayed yttria stabilized zirconia (YSZ) electrolyte with spark plasma sintering (SPS) technique	03
Mechanical properties of ceramic matrix composite for high temperature applications obtained by plasma spraying	03
Thermal barrier coatings (II)	
Effect of interface roughness on internal stress of ceramic thermal barrier coating	04
Delamination crack growth in thermal barrier coatings	04
Performance of thermal barior coatings formed by gas tunnel type plasma spraying	04
Intrinsic properties of thermal sprayed single splats on substrates	04
Thick thermal barrier coatings with controlled microstructures using solution precursor plasma spray process	05
The effect of YSZ microstructure on young's modulus	05
Innovative equipment and process technology (II)	
Thin plasma-transferred-arc welded coatings – an alternative to thermally sprayed coatings?	05
Chemical composition optimisation of perovskite coatings by suspension plasma spraying for SOFC cathodes	05
Denser ceramic coatings obtained by the optimization of the suspension plasma spraying technique	06
Design of a nozzle extension for thermal spray under very low pressure conditions	06
A study of plasma gun orientation control accuracy for the thermal spraying robot	06
HVOF-processes and materials (II)	
Solid particle erosion resistance of thermally sprayed functionally graded polymer/ceramic coatings	06
Optimization of wear protective coatings for heat transferring components	
In-process exothermic reaction in HVOF and plasma spraying with SiO ₂ /Ni/Al-Si-Mg composite powder	
Phase structure-mechanical property relationships in HVOF-sprayed WC-12Co coatings	
A study of gas and particle flow characteristics in HVOF thermal spraying process	07
Effect of feedstock powder size on the sliding wear behaviour of thermal sprayed HVOF Cr ₃ C ₂ -NiCr coatings	07
Applications (IV)	
The on-site manufacturing of thermally sprayed coatings	
Development of plasma sprayed corrosion protection coatings for sodium sulfur battery cell containers	
Thick aluminum coatings using axial plasma spray for proton beam collimators	
Fatigue resistance characteristics of thermal sprayed CFRP (Carbon Fiber Reinforced Plastics) rollers	
Induction plasma spraying of samaria doped ceria as electrolyte for solid oxide fuel cells	09

Innovative equipment and process technology (IV)

Ceramic spraying using electromagnetically accelerated plasma	09
Arc spraying with dynamic current generators	09
Microstructure and properties of molybdenum coatings deposited by microplasma spraying torch with a novel hollow cathode	10
Interactions between molten metal splats landing on a substrate during coating formation	10
Durability of the zirconia based coatings in contact with manganese oxide at 1273 K	10
High powered axial injection plasma torch for internal surfaces	10
Applications (V)	
Thermal spray technology growth in gas turbine coatings	10
Research on microstructure and properties of coating produced by high velocity electric wire arc spraying of TiB ₂ /Al ₂ O ₃ cored wire	11
Residual stress analysis in plasma sprayed free-standing zirconia components	11
Latest case study and subject of thermal spray technology in Japan	11
Cold spray (III)	
Nanostructured aluminum coatings produced using cold spraying technology	11
Deposition of copper by cold gas dynamic spraying: an investigation of dependence of microstructure and properties of the deposits on the spraying conditions	11
Influence of substrate conditions and traverse speed on cold sprayed coatings	12
A fundamental study of the kinetic spray process	12
Characterization of microstructure of nanostructured Fe-Si coating deposited by cold spraying CJ. Li, WY. Li, WH. Ma and H. Fukanuma	12
Use of a twin powder feeder with the cold gas dynamic spray process	12
Applications (VI)	
The microstructure behavior of thermal sprayed TiO ₂ coating on the bio-degradable plastic	13
Sealing of thermally sprayed HVOF coatings for boiler applications	13
Present furnace and pot roll coatings and future development	13
Elaboration of SOFCs'electrolytes by air plasma spraying (APS) and vacuum plasma spraying (VPS)-comparison of electrolytes' properties	13
Innovative equipment and process technology (I)	
Finely structured ceramic coatings elaborated by liquid suspension injection in a DC plasma jet	14
Alumina coatings formed by electromagnetically accelerated plasma spraying	14
Study on the properties of WC-NiCr and Cr ₃ C ₂ -NiCr cermet coating using the continuous detonation spray method	
Deposition of carbides by activated combustion HVAF spraying	
Thermal barrier coatings (I)	
Effect of micro pores on deformation behavior of plasma-sprayed thermal barrier coatings	15
Thermomechanical behaviour of bimodal structured thermal barrier coatings	15
Properties of HVOF sprayed multi-scale polymer/silica nanocomposite coatings	15
Improvement of bond strength of thermal barrier coatings by a laser remelting process	15
Cold spray (I)	
Equipment engineering and process control for cold spraying	15
Formation of TiO ₂ photocatalyst through cold spraying	16
HVOF-processes and materials (I)	
HVOF ceramic coatings	16
Tribological behavior of HVOF-sprayed Cr ₃ C ₂ -NiCr and TiC-based coatings under high-temperature	

Oxidation behaviour of molybdenum disilicide coatings at 1500 °C	16
Restricted oxidation of HVOF sprayed deposits by composition control of combustion gas	17
Wear behavior of HVOF sprayed WC-12%Co coatings vs. hard chrome plating	17
Influence of substrate properties on the impact resistance of WC cermet coatings	17
Applications (III)	
The current situation and future of thermal spraying industry in China	17
Development of thermally sprayed coating applied for boiler tube	17
DC and RF plasma processing for fabrication of solid oxide fuel cells	18
Full profile fitting of radio frequency suspension plasma sprayed ultra-fine hydroxyapatite powders	18
Low pressure plasma spraying (LPPS) as a tool for the deposition of functional SOFC component	18
Cold spray (II)	
Study of aluminum bronze coating by cold spray process	18
Characterization of cold-sprayed nickel-base coatings	18
A study of adhesive strength of cold spray coatings	19
Impact fusion phenomenon during cold spraying of zinc	19
Microstructural and electrochemical characterization of cold-sprayed 1100 aluminum coating	19
Innovative equipment and process technology (III)	
Low porosity and fine coatings produced by a new type nozzle of high velocity arc spray gun	19
Optimisation of energy management through Plasma-Augmented-Laser-Cladding (PALC)	20
Development of high quality thermal sprayed metal coating process by shielding control	20
Improved nozzle design of de-laval-type nozzles for the atmospheric plasma spraying	20
Fabrication of aluminum nitride coating by reactive RF plasma spray process	20
Innovative equipment and process technology (V)	
Splat formation in wire arc spraying	21
Investigation of AISi coatings prepared by laser-assisted atmospheric plasma spraying of internal surfaces of tubes	21
Microplasma wire spraying	21
Modulation plasma technology	21
TiC based coatings prepared by combining SHS and plasma spraying	21
Experimental study on wire explosion directional spraying	22
Characterization methods for coating properties (V)	
Effect of substrate surface change by heating on transition in flattening behavior of thermal sprayed particles	22
On the effects of processing parameters on pore network architecture and characteristics of Al ₂ O ₃ -13% wt. TiO ₂ : experimental quantification and prediction by artificial intelligence	22
The relation between hardness of substrate and WC-Co coating destruction by HVOF	23
Study on the behavior of arc-spraying coatings with high-temperature erosion resistance	23
Innovative equipment and process technology (VI)	
Some trials to improve uniformity of film thickness by manual thermal spraying	23
Plasma reaction synthesis of agglomerated oxide powders by axial injection torch	23
Dense oxide coating deposition by high velocity TPCVD utilizing boiling of metal alcoxide	23
Controlled atmosphere reaction plasma synthesis of multicomponent ceramic powders	24
Deposition rate increase in APS processes by means of multiple injection ports	24
HVAF arc spraying	24
Protective coatings against wear and erosion (II)	
Abrasion behavior of nanostructured and conventional titania coatings thermally sprayed via APS, VPS and HVOF	24
Abrasion and erosion behavior of WC and CrC cermet coatings	24

Surface changes in thermally sprayed hard coatings by wear of different abrasives	25
The microstructure and high temperature sliding wear behavior of Fe-Al coating produced by high velocity arc spraying	25
The microstructure and tribology behavior of NiTiZrSiSn bulk amorphous HVOF coating	25
Characterization methods for coating properties (I)	
Evaluation of adhesive strength of HVOF sprayed metallic alloy coatings by a modified tensile test	25
Comprehensive study of the process – property correlations: case study for molybdenum coatings	26
Effects of cryomilling on the oxidation of thermally sprayed McrAlY	26
Production of rapidly solidified iron matrix composite deposits with dispersed boride particles by plasma spraying	26
Mechanical properties, microstructural characteristics and in-vitro behavior of APS-sprayed nanostructured and conventional hydroxyapatite coatings	27
Photocatalytic materials	
The photoresponse and donor concentration of plasma sprayed TiO ₂ and TiO ₂ -ZnO electrodes	27
Studies of the photocatalytic efficiency of titanium dioxide powders and coatings obtained by plasma spraying	27
Titanium oxide – new opportunities for an established coating material	27
Photocatalytic properties of coatings sprayed from TiO _x and Ti _{n-2} Cr ₂ O _{2n-1} powders by APS and VPS	27
Consumables for thermal spraying	
Deposition of amorphous metallic coatings by thermal spraying	28
Plasma sprayed coatings from powders of alloyed cast iron mill debris	28
Maximization of silica loading in ball-milled composite powders for HVOF-sprayed multi-scale polymer/silica composite coatings	28
A comparative diagnostic analysis of morphologically different YSZ powders	28
Advantages of CO ₂ cooling for thermal spraying	
Nanostructured materials (I)	
Plasma sprayed high lubricity nanocomposite coatings	29
Plasma spraying of silicon and titanium nitride nanoparticles for hard coatings and micropatterns	29
The formation behavior of thermal sprayed TiO ₂ coatings using agglomerated nano-powders	29
Influence of induction plasma gas composition on Ti coatings microstructure and composition	30
Thermal and mechanical properties of alumina-zirconia nano-composite coating	30
Mechanical properties of plasma sprayed nanostructured titania coatings with Al addition	30
Characterization methods for coating properties (II)	
Non-destructive adhesion testing of plasma-sprayed coatings using ultrasounds and laser shocks	30
The development of TiO ₂ /PBS composite material by thermal spraying	31
Strain tolerance characterization for HVOF coatings using the acoustic emission tool	31
Deposition efficiency and microhardness of plasma sprayed zirconia coatings using different powders as feedstocks	31
Abradable properties of thermal sprayed coating for air compressor	32
Nanostructured materials (II)	
Inductively coupled plasma processing of nano-sized calcium phosphate powders	32
Characterization of nanostructured and conventional cermet coatings by controlled scratch testing: correlation with abrasion and hardness tests	32
Microstructure and properties of Al ₂ O ₃ /YAG nano composite coating prepared by plasma spray	32
Comparative study of nanostructured and conventional WC-Co coatings	32
Nanophase partially stabilized zirconia intermediate layer for strain accommodation in a multi-layer thermal barrier coating .	33
Characterization methods for coating properties (III)	
Microstructure of Zr-O-B composite coatings produced by reactive thermal spray	33
Optical properties of plasma sprayed semiconducting oxides	33
Elastoplastic characterization of thermal spray coatings using instrumented indentation	33

Study of the influence of microstructure on electric properties of plasma-sprayed alumina coatings using the scanning electron microscope mirror effect (SEMME) method	34
Characterization of vacuum plasma sprayed boron carbide	
Characterization methods for coating properties (IV)	
Bioactivity and biocompatibility of plasma sprayed ceramic coatings	34
Measurement of a low power plasma jet by the enthalpy probe	34
Properties of plasma sprayed alumina-chromia mixtures	
Study on porosity of plasma sprayed coating by digital image analysis method	35
Comparison of in-flight particle characteristics and coating properties while spraying NiCrBSi powder with different spraying processes	35
Evaluations of strength of thermal sprayed coating with crack	35
Economics and quality	
Metallographic evaluation and process correlation of thermally sprayed coatings	35
Off-line programming for spraying and laser cladding of three-dimensional surfaces	36
Plasma quality at combustion price	36
Prediction of plasma sprayed coating properties by the use of neural networks	36
Characterization methods for coating properties (VI)	
Influence of substrate surface roughness on adhesive property of sprayed coating	36
Composition changes of selected alloys during their plasma spraying	37
Influence of plasma spraying parameters on the in-flight oxidation of stainless steel particles	37
Physical characteristics of alumina coating using atmospheric plasma spraying (APS) and low pressure plasma spraying (VPS)	37
Microstructure and properties of FeNb and FeSi coatings obtained by HVOF thermal spraying	37
Corrosion protection (II)	
Corrosion protection of a metal spray coating by using an inorganic sealing agent for its micropores	38
Investigations of corrosion properties of different ceramic-metallic coatings sprayed the HVOF process	38
Corrosion resistance of Fe-Cr-Mo-(C,B,P) amorphous coatings thermal sprayed by HVOF and APS processes	38
Effect coating thickness and the sealant on the steam oxidation resistance of APS Ni-Cr coatings	38
New technologies for pre-and post-treatment (I)	-
The relationship of work distortion and surface roughness on grit blasting process	39
New developments in the protal® process	39
Pack boronizing of HVOF-sprayed WC-Co coatings	39
A parameter study of the protal® process to optimise the adhesion of Ni5Al coatings	39
New technologies for pre-and post-treatment (I)	
The influence of post heat treatment processes on thermal fatigue resistance of thermally sprayed coatings	40
Effects of sealing on electrochemical characteristics of WC-NiCr HVOF sprayed coatings	40
Influence of post-treatment on the tribo-mechanical properties of cermet coatings	40
Strengthening alumina protective layer on MCrAlY atmospheric plasma sprayed coating by chromate processing	40
Modeling and simulation (I)	
Numerical simulation of a multi-component reacting plasma jet in plasma spraying	41
An advanced ceramic coating buildup model for thermal spray processes	41
Three-dimensional and time-dependent model of the dynamic behavior of the arc in a plasma spray torch	
Computational evaluation of coating characteristics in ceramic spraying	41

Computational model for the prediction of the temperatures in the coating during thermal spray......41

Process diagnostics (I)	
Computational heat transfer and phase change in composite (metal/ceramic) particle immersed in a plasma pool	42
Effect of measurement technique on particle temperature and velocity values in a pasma spray jet	42
Particle diagnostics in wire-arc spraying system	42
Process analysis of plasma spraying of recycled PET based on a heat balance model	42
The influence of plasma characteristics on particle properties during plasma-spraying of yttria stabilized zirconia using a Triplex torch	43
Diagnostics for thermal coating processes – Research results of the DFG-founded project group	43
Protective coatings against wear and erosion (I)	
Tribological behaviour of thermally sprayed ceramic coatings in contact with 100Cr ₆ steel at high temperatures	43
Tribological properties and microstructure of plasma sprayed high silicon aluminium alloy coatings	43
Tribological behavior of D-Gun and atmospheric plasma spraying coatings on light weight materials	44
Erosion mechanism of thermally sprayed coatings depending on shape and hardness of particles	44
Process diagnostics (I)	
Computer tomography of plasma jets – applied on a TRIPLEX II torch	44
On a prospective on-line APS process control based on artificial neural networks	44
Investigation of arc voltage fluctuations in a plasma torch SG-100 operated with Ar/H ₂	44
In-situ measurement of sprayed ceramics particles and supercooling effects on splat morphology	45
Experimental investigation of the splashing processes at impact in plasma sprayed coating formation	45
Modeling and simulation (II)	
Process optimisation of plasma spraying using statistical modelling	45
Measurements of elastic-plastic anisotropic properties of thermally sprayed coatings using nano-indenters and inverse analysis technique	45
Modeling of inductively coupled plasma flows in a reactor: comparison with experimental results	46
The system approach for structure – properties relationship of thermal sprayed coatings	46
Supersonic plasma jet modelling at low pressure using recent advances of the enthalpy probe measurement technique	46
Corrosion protection (1)	
Erosion and erosion-corrosion properties of HVOF sprayed tungsten carbide (WC) coatings with high alloy binders	46
Corrosion protective coatings by modified underwater plasma spraying	46
Vibrational corrosion potential of hastelloy coatings by GS-HVOF spraying	47
Modeling and simulation (III)	

ITSC 2004 poster session

Applications

FeSi and FeSiB nanostructured powders deposits via HVOF thermal spraying	50
Comparision of the corrosion resistance between Cr3C2-NiCr obtained by HVOF and hard chromium	50
Solution plasma spray synthesis of NiZnFe ₂ O ₄ magnetic nanocomposite thick films	50
Innovative equipment and process technology	
Plasma flow characteristics of supersonic nitrogen/hydrogen-mixture plasma jets for nitriding	50
The effect of simultaneous laser irradiation on HVOF spray coatings	51
HVOF and detonation spraying iron aluminides powders	51
Comparison of stainless steel coatings alumina reinforced by plasma spraying of different size mechanofused particles	51
The effect exerted by modulation on disintegration of the particles being sprayed	52
Plasma spraying of nanodiamonds and metal powders with nanodiamonds additives	52
Evaluation of corrosion and wear resistance of hard cermet coatings sprayed by using an improvement HVOF process	52
Ti-B-C composite coating produced by electrothermally-exploded-powder-spray technique	52
High-rate deposition of ZrO ₂ coatings by thermal plasma PVD	52
Slurry feed of fine powder	53
On the effects of the spray kinematics on the deposited bead shape and structure of thermal spray Al_2O_3 — TiO_2 (13% by wt.)	53
Development of transportable plasma spraying system	53
Synthesis of catalysts using a high frequency plasma system for reforming of ethanol	53
Deposition of polymer coatings using a combined thermal spraying-laser assistance process	53
Real time monitoring of robot trajectory in thermal spraying	54
Processing and characterization of novel AlSi/Polymer abradable coatings by means of atmospheric plasma spraying	54
Plasma sprayed nanostructured glass-ceramic matrix composite coatings from the CaO-SiO ₂ -ZrO ₂ eutectic system	54
Tribo-corrosion testing on thermal spray coating: new equipment and preliminary results	54
Characterisation methods for coating-properties	
Investigation of structure and mechanical properties of plasma sprayed alumina coatings with various plasma gas mass flow	55
EBSP Analysis of plasma sprayed Ni-Al deposits	55
Effect of rare earth elements on the wear resistance of iron-based thermal sprayed coatings	55
A study of thermally cycled plasma-sprayed thermal barrier coating	55
Corrosion characterization of Zn alloy coatings and Al alloy coatings with combined cycle corrosion tests	56
Corrosion behavior of high velocity arc spraying Fe-Al coatings	56
Cold spray processing of WC-Co	56
Synthesis of nanocrystalline iron aluminide intermetallic compound coating by spraying of mechanically alloyed powder	56
Fabrication of nano-structured WC-Co coating by HVOF spraying of mechanically alloyed powder and evaluation of its property	56
Optimization of impulse-plasma treatment parameters of surface layers of gas-thermal composite coatings	57
Strain analysis of interfacial debonding in Al ₂ O ₃ sprayed substrate metal under tensile loading	57
Wear resistance of plasma sprayed WC-Co-Ni coatings	57
Thermal conductivity and isothermal shock resistance of Y-PSZ TBCs in situ remelted during their deposition	57
Characteristics of titanium oxide coatings prepared by APS and VPS spraying of nanostructured titanium dioxide powders	58
Evaluation of NiCr based Cr ₂ O ₃ coating characteristics with solid lubricant using the atmospheric plasma spraying	58
Effect of steam oxidation on the substrate microstructure adjacent to the Ni-Cr coatings	58
Improvement of electrical conductivity of plasma-sprayed YSZ coating by liquid sintering of Mn and Mn-Cu metals	
Processing and characterization of nano-structured WC based coatings	59

Photocatalytic property of TiO ₂ /plastic composite coating	59
Isotropic nanostructured titania thermal spray coatings	59
Alumina coatings on preoxidized low carbon steel – Interfacial phenomena between alumina and iron oxide layer	59
Alumina: Splat morphology on alumina substrate	60
Incorporating high aspect ratio reinforcements in HVOF sprayed polymer/carbon composite coatings	60
Properties of HVOF sprayed multi-scale polymer/silica nanocomposite coatings	60
Crack initiation and propagation in an APS thermal barrier coatings under cyclic loading	60
Wear properties of ceramics and cermet coatings formed by electromagnetically accelerated plasma spraying	60
Influences on characteristics of Al ₂ O ₃ coating caused by deviated spray conditions and its control	61
Macrocrack formation in plasma-sprayed zirconia TBCs with thick passes	61
Effects of heat treatments on the properties of NiCrBSi alloy + WC-Co coating	61
Effect of Cr ₃ C ₂ -NiCr powder characteristics on the properties of the HVOF coatings sprayed with different barrel lengths	61
Rolling contact fatigue strength and young's modulus of plasma sprayed alumina coating	61
Development of thick thermal barrier coating with varying porosities and continually high functional properties	62
An investigation into the relationship between the microstructural characteristics and the material properties of Al-Si + hBN abradable coatings	62
Process diagnostics	
Characteristic evaluation of alumina spray coating by cavitation erosion method	62
Study of the erosion of electrodes in d.c. plasma torches by on-line monitoring of the voltage and sound	62
A diagnostics and monitoring system for low pressure plasma spraying processes	63
Substrate temperature control during supersonic induction plasma spraying	
Acoustic emission responses during indentation of fine-grained MoSi ₂ coatings	63
Modelling and simulation	
Simulation of the layer composition in thermal sprayed functionally graded coatings in terms of numerical optimisation	63
A homogeneous material model approach of an APS-sprayed PYSZ-TBC considering the	64
APS-process-parameters and the TBC-microstructure	
Numerical study of residual stresses formation during the APS process	
Heat transfers at the impact of a plasma jet on a two-layer material.	
Prediction of thermal spray coating thermal conductivity by 2D heat transfer modeling	
Computer complex modeling of coatings gaseous detonation spraying process	
Modeling of a substrate thermomechanical behavior during plasma-spraying preheating stage Computational head transfer modelling in plasma surface interaction	
New technologies for pre and post treatment	
Spark plasma sintering (SPS) as post-spray remedy for decarburization in plasma sprayed WC-Co coatings	GE.
Economics and quality	
A new shear test for characterization of coating adhesive or cohesive failure	66
A new shear test for Grandenzation of Coating auriesive of Conesive Milure	